





OPTIONAL OSD REMOTE  
P/N E483757







SIDE MOUNT, VERTICAL (LEFT AND RIGHT)




SIDE MOUNT, HORIZONTAL (TOP AND BOTTOM)

MOUNTING WITH ADJUSTABLE BRACKETS  
(4 PROVIDED)




RECOMMENDED CUSTOMER  
PANEL CUTOUT






OPTIONAL FRONT MOUNT BEZEL KIT, P/N E711274  
ORDERED SEPARATELY, CUSTOMER ASSEMBLED

RECOMMENDED CUSTOMER PANEL CUTOUT




- MOUNTING HOLES, X8
- 1. IF CUSTOMER PANEL IS WOOD,  
Ø4.5MM THRU HOLES FOR M4 SCREWS  
OR NO THRU HOLES, SCREWS FOR WOOD Ø4MM
  - 2. IF CUSTOMER PANEL IS SHEET METAL,  
CONCEALED HEAD THREADED STUDS M4 WITH NUTS



- FRONT MOUNT BRACKETS, X4  
(INCLUDED WITH FRONT MOUNT KIT)
- 1. BRACKETS ACCOMODATE MAX PANEL THICKNESS OF 14MM

OPTIONAL RACK MOUNT BEZEL KIT, P/N E921202  
ORDERED SEPARATELY, CUSTOMER ASSEMBLED



1. MONITOR IS ORIENTED IN LANDSCAPE MODE
2. REQUIRES 5U AVAILABLE RACK SPACE
3. MOUNTING HOLE SPACING PER EIA-310-D
4. ADDITIONAL MOUNTING SCREWS (NOT INCLUDED) REQUIRED TO FASTEN MONITOR INTO CUSTOMER RACK

OPTIONAL KEYSLOT MOUNTING, X4

