

HP W2271d 21.5-inch LED Backlit Monitor

Value-priced with all the essentials.



Get a sleek, stylish, thin-profile LED monitor with an expansive 21.5-inch diagonal HD¹ screen, plus VGA and

DVI-D inputs at an unbelievably low price point. Enjoy remarkable brightness, contrast, and clarity in an environmentally responsible design that's easy on the wallet.

The budget-friendly display with a high-class design

Updated with a sleek and refined texture, this is the everyday display you'll want to show off. Save space and satisfy your sense of style. Place the compact, thin design wherever you need it.

High-class presentation features and a large screen for multi-tasking

Multi-task on the large 21.5-inch diagonal screen, perfect for surfing the web, catching up on finances or chatting with friends and family.²

Enjoy crisp clear views of your documents, web content, videos, and games with 1920 x 1028 HD¹ resolution, 3M:1 dynamic contrast ratio, and 5 ms on/off response time.³

Get easy device connectivity from VGA and DVI-D inputs.

Built with the environment in mind, and supported by HP

Be a better environmental consumer with a monitor that features China Energy Label certification, arsenicfree display glass, and mercury-free display backlighting.

Get the support you need with a standard, three-year limited warranty from HP.









HP W2271d 21.5-inch LED Backlit Monitor

Part number	D7X01AA
Panel type	TN with LED backlight
Viewable image area	54,61 cm (21.5 in) widescreen diagonally measured
Viewing angle	Horizontal: 90 degrees; Vertical: 50 degrees
Brightness ³	200 nits (cd/m²)
Contrast ratio ³	Static: 600:1; Dynamic: 3,000,000:1
Response rate ³	5 ms (on/off)
Frequency	Horizontal: 24 KHz-94 KHz; Vertical: 50 Hz-76 Hz
Aspect ratio	16:9
Native resolution	1920 x 1080 @ 60 Hz
Resolutions supporte	d 1920 x 1080 @ 60 Hz, 1680 x 1050 @ 60 Hz, 1600 x 900 @ 60 Hz, 1440 x 900 @ 60 Hz, 1280 x 1024 @ 60 Hz, 1280 x 720 @ 60 Hz, 1024 x 768 @ 60 Hz, 800 x 600 @ 60 Hz, 720 x 400 @ 70 Hz, 640 x 480 @ 60 Hz
Input signal	VGA, DVI-D
User controls	OSD menu select, OSD down, OSD UP, OK/Auto, Power
Power consumption	Maximum: 29 W; Typical: 23 W; Power saving: 0.5 W
Dimensions (w x d x h)	Unpacked : 51,71 x 18,43 x 37,71 cm (20.36 x 7.26 x 14.85 in)
	Head only: 51,71 x 4,9 x 31,91 cm (20.36 x 1.93 x 14.85 in)
	Packaged: 56 x 10 x 37,7 cm (22.05 x 3.94 x 12.56 in)
Weight	Unpacked: 3,4 kg (7.5 lb); Head only: 3,08 kg (6.79 lb); Packaged: 5 kg (11.03 lb)
Base features	Tilt: -5° to + 19° vertical
Environmental	Operating: 5° to 35° C (41° to 95° F); Non-operating: -20° to 60° C (-4° to 140° F)
Certification and compliance	CE, FCC, C-Tick, VCCI, BSMI, CB, TUV-BAUART, TUV-S, ISO9241-307, CSA, CCC, CEL, CSC, NOM
Limited warranty	Protected by HP, including a 1 year standard limited warranty. Certain restrictions and exclusions apply.

^{1.} High-definition (HD) content required to view HD images.

© Copyright 2013 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. April 2013



^{2.} Internet service required, and not included.

All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.