

## Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Hewlett-Packard	Logo
Company name *	Hewlett-Packard Company	
Contact information *	Hans Wendschlag <a href="http://www.hp.com/hpinfo/globalcitizenship/environment/contactem-ail">http://www.hp.com/hpinfo/globalcitizenship/environment/contactem-ail</a>	
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/	
Additional information	NA	

The company declares (b	The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statement	ts given in this declaration.				
Type of product *	Inkjet Printer				
Commercial name *	HP Officejet Pro 8100 ePrinter				
Model number *	CM752A				
Issue date *	22-Feb-2012				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ı 🖂	

Model number *	CM752A		
Issue date *	22-Feb-2012	Logo	(II)

Product	uct environmental attributes - Legal requirements					
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)					
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\boxtimes$		
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).					
P1.9*	Comment: Legal reference has no maximum concentration values.  Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.					
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/reachprinting-and-im.html	$\boxtimes$				
P2	Batteries Satteries					
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\boxtimes$				
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)					
P3	Safety, EMC connection to the telephone network and labeling					
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$				
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\boxtimes$				
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).					
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$				
P4	Consumable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).					
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	$\boxtimes$				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.					
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.					

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	CM752A		
Issue date *	22-Feb-2012	Logo	

Product	roduct environmental attributes - Market requirements - Environmental conscious design Requirement					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$				
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$				
P7.2*	Plastic materials in covers/housing have no surface coating.	$\overline{\boxtimes}$	$\Box$	一	_	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Ħ	Ħ	_	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		Ħ	〒	_	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	$\neg \Box$	_	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\boxtimes}$	Ħ	$\overline{\Box}$	_	
	Product lifetime				Т	
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools					
P7.9.	Spare parts are available after end of production for: years					
P7.10	Service is available after end of production for: years			$\overline{\sqcap}$		
	Material and substance requirements				Ī	
P7.11*	Product cover/housing material type:					
	Material type: ABS Material type: HIPS Material type:					
P7.12	Electrical cable insulation materials of power cables are PVC free.					
P7.13	Electrical cable insulation materials of signal cables are PVC free					
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.					
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See					
	Note B2)					
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:					
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:					
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:					
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:					
	Comment: No legal limits exist, this is a market requirement.  1. Chemical name: , CAS #:  2. Chemical name: , CAS #:  3. Chemical name: , CAS #:  Alt. 2  Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)				_	
P7.20	Of total plastic parts' weight >25g, recycled material content is %.					
P7.21	Of total plastic parts' weight >25g, biobased material content is %.					
P7.22	Light sources are free from mercury	$\boxtimes$				
	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg					
P8	Batteries					
P8.1*	Battery chemical composition: LiMnO2					
P8.2	Batteries meet the requirements of the following voluntary program/s:					

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	CM752A		
Issue date *	22-Feb-2012	Logo	

Product e	environmental att	tributes - Market re	quirements (con	tinued)		Requireme	nt met
Item						Yes N	o n.a.
P9	Energy consumpt						
9.1	For the product the	following power levels	or energy consump	tions are reporte	d:		
Energy mod	de *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at Referer modes	nce / Standard for energand test method *	ау 🗌
Operating		W	W	W	applian power (	301: Household electrical ces – Measurement of standby (Ver.1.1)	, ×
Ready		3.76W	3.52 W	3.84 W	appliand	301: Household electrical ces – Measurement of standby (Ver.1.1)	′
Sleep		1.14 W	1.15 W	1.26 W	applian	301: Household electrical ces – Measurement of standby (Ver.1.1)	,
Off		0.19 W	0.19W	<b>0.27</b> W	applian	301: Household electrical ces – Measurement of standby (Ver.1.1)	,
		W	W	W			
		W	W	W			
charger plu	ower supply / gged in the wall isconnected from	W	W	W		GY STAR® Program for Extern Supplies (Ver. 1.1)	al
PTEC * Typical Ene	ergy Consumption	W	W	W			
TEC * Typical Ene	ergy Consumption	kWh/week	kWh/week	kWh/w	eek		
ETEC * Annual Ene	ergy Consumption	kWh/year	kWh/year	kWh/ye	ear		
Display res	olution* : N	Megapixels		•			
Print Speed		lono / ISO 16 Color Ir	mages per minute				-
·		ve mode: 5 minutes					+
P9.2*			والعراقات والمراورة والمراورة والمراورة				ᆛ片
		he energy save function	*	-			
P9.3*	The product meets ENERGY STAR® v Others specify:	the energy requirement version: 1.1 Tier:	nts of the following v Product category		/s:		
P10	Emissions						
		Declared according to	ISO 9296		_		
P10.1	Mode N	Mode description		Declared A-weighted		Declared A-weighted	
				sound power	sound p	pressure level $L_{p{\sf Am}}$ (dB)	
				level $L_{W\!Ad}$ (B)	Operator pos	sition Bystander position	ns
					Des or Desk	side (only if product is no operator attende	
	Idle *	Ready		* 2.5 Bels (A)		14 (dBA)	
		Printing	1	* 7.0 Bels (A)		56 (dBA)	
	Other mode						
	Measured according	ng to: 🔀 ISO7779 🔀 I					
D40.0		Other	(only if not covered	•	•	urement distance m)	
P10.2	The product meets	the acoustic noise requ	uirements of the foll	owing voluntary p	rogram/s:	LJ L	

Model nu	mber *	CM752A			
Issue date *		22-Feb-2012 Logo			
Product	environr	nental attributes - Market requirements (continued)	Require	ment	met
Item			Yes	No	n.a.
	Chemic	al emissions from printing products			
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard X, other specify:	$\boxtimes$		
P10.4	Typical e	emission rate (print phase) is (mg/h):			
		Dust Ozone Styrene Benzene TVOC			_
P10.5		al emission requirements of the following voluntary program/s are met for :  Oust Ozone Styrene Benzene TVOC			
		nagnetic emissions			
P10.6		er display meets the requirement for low frequency electromagnetic fields of the following voluntary		$\overline{}$	$\overline{}$
	program		ш	ш	ш
P11		nable materials for printing products			
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	$\boxtimes$	$\overline{\Box}$	П
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the requirements of 1.			
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.	$\boxtimes$		
P12	Ergonoi	mics for computing products			
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			$\boxtimes$
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			$\boxtimes$
P13	Packagi	ng and documentation			
P13.1*		packaging material type(s): corrugated paper fiber weight (kg): 1.592			
		packaging material type(s): <b>expanded polystyrene</b> weight (kg): <b>0.257</b>			
D42.0*		packaging material type(s): polyethylene weight (kg): 0.050		_	_
P13.2*	rioduct	plastic packaging is free from PVC.	$\square$	- 1 - 1	- 1

For paper user and product documentation, please specify contained percentage of post-consumer recycled

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Product plastic packaging is free from PVC.

Electronic X, Paper , Other

Additional information (See Note B4)

Specify media for user and product documentation (tick box):

Chemical emissions data were collected using this product.

Noise emissions data shown were collected using this product.

User and product documentation do not contain chlorine bleached paper

P13.3\*

P13.4\*

Rev. P13.5 P14

10.3 10.1

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19