

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Hewlett-Packard	Logo
Company name *	Hewlett-Packard Company	
Contact information *	Hans Wendschlag http://www.hp.com/hpinfo/globalcitizenship/environment/contactem ail.html	
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Type of product * Commercial Display			
Commercial name *	P ProDisplay P221 21.5-inch LED Backlit Monitor			
Model number *	P221			
Issue date *	2/1/2013			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	P221		
Issue date *	2/1/2013	Logo	(II)

Product	Product environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\square$			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\square$			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\square$			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)	$\square$			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).				
P1.9*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5				
P1.9"	microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$			
	http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/reachdesktop-pcs.html				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		$\boxtimes$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		Ē		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$			
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			$\boxtimes$	
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.				
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\bowtie$			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	mber *	P221					
Issue dat	e *	2/1/2013	Logo		1		
					Ш	/	
		mental attributes - Market requirements - Environmental conscious of	design				met
Item P6		atory to fill in. Additional information regarding each item may be found under P14. nt information			Yes	No	n.a.
P6.1*		on for recyclers/treatment facilities is available (see legal reference).			$\boxtimes$		
P7	Design						
P7.1*		mbly, recycling It have to be treated separately are easily separable			$\boxtimes$		
P7.2*		naterials in covers/housing have no surface coating.				╞	╞
P7.3*		arts >100g consist of one material or of easily separable materials.				┢	╶╞┽
P7.4*	-	arts >25g have material codes according to ISO 11469 referring ISO 1043.				⊢⊢	<u> </u>
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly a	wailable to	olo		⊢⊢	<u> </u>
P7.6*				015.		⊢⊢	<u> </u>
P7.0		re easily separable. (This requirement does not apply to safety/regulatory labels).					
P7.7*	Product	g can be done e.g. with processor, memory, cards or drives					
P7.8*					<u>⊢</u>	⊢⊢	
-		ng can be done using commonly available tools					
P7.9.		arts are available after end of production for: 5 years					
P7.10		s available after end of production for: years					$\square$
P7.11*		and substance requirements cover/housing material type:					
F7.11			al type: PV	c			
P7.12	Electrica	I cable insulation materials of power cables are PVC free.		<u> </u>		$\square$	
P7.13		I cable insulation materials of signal cables are PVC free			H		H
P7.14		/housing plastic parts >25g are free from chlorine and bromine.					
P7.15		ed circuit boards (without components) >25g are halogen free. as defined in IEC6	51249-2-21	(See		⊢⊢	╞
	Note B2)		51245 2 21	. (000			
P7.16		tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: ABS; PMMA; White PVC; Black PVC			$\boxtimes$		
P7.17	Alt. 1						
		I specifications of flame retardants in printed circuit boards >25g (without compone	ents):				
	TBBPA (	additive) , TBBPA (reactive) , Other; chemical name: , CAS #:					
	Alt. 2						
		I specifications of flame retardants in printed circuit boards (without components) >	25g accord	ding	$\boxtimes$		
	ISO 1043	3-4: <b>FR40</b>					
P7.18	Alt. 1						
		etarded plastic parts >25g contain the following flame retardant substances	s/preparatio	ons in			
		ations above 0.1%: ent: No legal limits exist, this is a market requirement.					
		ical name: , CAS #:					
		ical name: , CAS #:					
		ical name: , CAS #:					
	Alt. 2	l anacifications of flome retardants in plastic parts - 25a according ISO 1042 4					
		Il specifications of flame retardants in plastic parts >25g according ISO 1043-4: ////////////////////////////////////			$\boxtimes$		
P7.19	Plastic p	arts >25g are free from flame retardant substances/ preparations above 0.1% class	sified as R4	15,			
D7 00		6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)					
P7.20 P7.21		plastic parts' weight >25g, recycled material content is <b>14.3 %</b> . plastic parts' weight >25g, biobased material content is <b>0%</b> .					
P7.21		irces are free from mercury			$\boxtimes$		
	0	y is used specify: Number of lamps: and max. mercury content per lamp:	mg				
P8	Batteries		3				
P8.1*	Battery c	hemical composition:					$\boxtimes$
P8.2	Batteries	meet the requirements of the following voluntary program/s:					$\boxtimes$

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	P221		
Issue date *	2/1/2013	Logo	(IP)

Product of	Product environmental attributes - Market requirements (continued) Requirement met						
Item					Yes No n.a.		
P9	P9 Energy consumption						
9.1	9.1 For the product the following power levels or energy consumptions are reported:						
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at Reference / Standard for energy modes and test method *		
ENERGY S (System Id	STAR® On Mode * le)	NAW	17 W	17.4 W	ENERGY STAR <sup>®</sup> Program Requirements for Computer Monitors: Ver. 6.0		
ENERGY S Sleep Mod	STAR® Low Power e *	NA W	0.35 W	0.44 W	ENERGY STAR <sup>®</sup> Program Requirements for Computer Monitors: Ver. 6.0		
Apparent C		NA W	0.17 W	0.23 W	ENERGY STAR <sup>®</sup> Program Requirements for Computer Monitors: Ver. 6.0		
Display res	solution* : <b>1080</b> * <b>19</b>	20 Megapixels			ENERGY STAR <sup>®</sup> Program Requirements for Computer Monitors: Ver. 6.0		
Default tim	e to enter energy sa	ve mode: minu	utes		ENERGY STAR <sup>®</sup> Program Requirements for Computers: Ver. 6.0		
P9.2*		he energy save functio	•	•			
P9.3*		the energy requiremer version: 6.0 Product ca		oluntary program,	's: □ □ □		
P10	Emissions						
		Declared according to	ISO 9296				
P10.1	Mode N	Node description		Declared	Declared A-weighted		
				A-weighted sound power	sound pressure level $L_{pAm}$ (dB)		
			1	level $L_{WAd}$ (B)	Operator position Bystander positions		
					Desktop (only if product is not operator attended)		
	Idle		•	•			
	Operation		•	•			
	Other mode						
	Measured accordin	ng to: ISO7779	ECMA-74	d by ECMA-74 with	h L <sub>pAm</sub> measurement distance m)		
P10.2	The product meets						
	<sup>2</sup> The product meets the acoustic noise requirements of the following voluntary program/s:						

Model number *	P221		
Issue date *	2/1/2013	Logo	(II)

Product	environmental attributes - Market requirements (continued)	Require	ment	met
ltem		Yes	No	n.a
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard 🔲, other specify:			$\boxtimes$
P10.4	Typical emission rate (print phase) is (mg/h):			
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			$\boxtimes$
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary			
	program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			$\mathbf{X}$
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): PAPER/Corrugated weight (kg): 0.996			
	Product packaging material type(s): PLASTIC/EPE-Expanded Polyethylene weight (kg): 0.018			
Dia at	Product packaging material type(s): <i>PLASTIC/EPS (Expanded Polystyrene)</i> weight (kg): <i>0.572</i>			_
P13.2*	Product plastic packaging is free from PVC.	$\square$		
P13.3*	Specify media for user and product documentation (tick box):			
	Electronic 🔀, Paper 🗌, Other 📃			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 100 %			
Rev. P13.5	User and product documentation do not contain chlorine bleached paper			$\boxtimes$
P14	Additional information (See Note B4)			
All	1. Product environmental information contained in this declaration is valid as of the date the declaration is put			
sections	external standards referenced in the IT Eco-Declaration may invalidate some information contained in this de	claration c	ver tir	ne.

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19