

## Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

| Brand *                | Hewlett-Packard   | Logo       |
|------------------------|---|------------|
| Company name *         | Hewlett-Packard Company   |            |
| Contact information *  | Hans Wendschlag <a href="http://www.hp.com/hpinfo/globalcitizenship/environment/contactem-ail.html">http://www.hp.com/hpinfo/globalcitizenship/environment/contactem-ail.html</a> | <b>U</b> P |
| Internet site *        | http://www.hp.com/hpinfo/globalcitizenship/environment/   |            |
| Additional information |   |            |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. |  |  |  |  |  |
|--|--|--|--|--|--|
| Type of product *  | Consumer Display   |  |  |  |  |
| Commercial name *  | HP Pavilion 27xi 27-Inch IPS LED Backlit Monitor             |  |  |  |  |
| Model number *   | 27xi   |  |  |  |  |
| Issue date *   | 1/15/2013  |  |  |  |  |
| Intended market *  | ☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other |  |  |  |  |
| Additional information   |  |  |  |  |  |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

| Quality | Quality Control  |             |    |
|---------|--|-------------|----|
| Item    |  | Yes         | No |
| QC1 *   | The company enforces an internal quality control scheme to ensure the correctness of this eco declaration  | $\boxtimes$ |    |
| QC2 *   | The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org). | ol 🔀        |    |

| Model number * | 27xi      |      |  |
|----------------|-----------|------|--|
| Issue date *   | 1/15/2013 | Logo |  |

| <b>Product</b> | environmental attributes - Legal requirements   | Require       | ment          | met                  |
|----------------|---|---------------|---------------|----------------------|
| Item           |   | Yes           | No            | n.a.                 |
| P1             | Hazardous substances and preparations   |               |               |                      |
| P1.1*          | Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium,  |               |               |                      |
|                | 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal   |               |               |                      |
|                | reference and Note B1)  |               |               |                      |
| P1.2*          | Products do not contain Asbestos (see legal reference).   | $\boxtimes$   |               |                      |
|                | Comment: Legal reference has no maximum concentration value.  |               |               |                      |
| P1.3*          | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),  | $\boxtimes$   |               |                      |
|                | hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-   |               |               |                      |
|                | trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum  |               |               |                      |
| D4 4*          | concentration values.   |               | _             |                      |
| P1.4*          | Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated  | $\boxtimes$   |               |                      |
| P1.5*          | terphenyl (PCT) in preparations (see legal reference).  Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the                                    |               |               |                      |
| P1.5           |   | $\boxtimes$   |               |                      |
| P1.6*          | chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), |               |               | <u> </u>             |
| F 1.0          | Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).   | Ш             |               | $\boxtimes$          |
|                | Comment: Legal reference has no maximum concentration values.   |               |               |                      |
| P1.7*          | Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split   |               | $\overline{}$ |                      |
| 1 1.7          | aromatic amines. (See legal reference and Note B1)  |               | Ш             | Ш                    |
| P1.8*          | Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as  |               | $\overline{}$ | $\overline{\square}$ |
| 1 1.0          | pentachlorophenol and derivatives (see legal reference).  | ш             | Ш             |                      |
|                | Comment: Legal reference has no maximum concentration values.   |               |               |                      |
| P1.9*          | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5  | $\square$     |               |                      |
|                | microgram/cm²/week (see legal reference).   |               |               | ш                    |
|                | Comment: Max limit in legal reference when tested according to EN1811:1998.   |               |               |                      |
| P1.10*         | REACH Article 33 information about substances in articles is available at (add URL or mail contact):  | $\boxtimes$   | $\Box$        |                      |
|                | http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/reachdesktop-pcs.html  |               |               | ш                    |
| P2             | Batteries   |               |               |                      |
| P2.1*          | If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains  | $\overline{}$ |               |                      |
| . 2            | more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be  | ш             |               | Ш                    |
|                | marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is  |               |               |                      |
|                | provided in user manual. (See legal reference)  |               |               |                      |
| P2.2*          | Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or   |               | $\square$     |                      |
|                | accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)  | ш             |               | ш                    |
| P2.3*          | Batteries and accumulators are easily removable by either users or service providers (as dependent on the   |               |               | $\square$            |
|                | design of the product). Exception: Batteries that are permanently installed for safety, performance, medical  | ш             | ш             |                      |
|                | or data integrity reasons do not have to be "easily removable". (See legal reference)   |               |               |                      |
| P3             | Safety, EMC connection to the telephone network and labeling  |               |               |                      |
| P3.1*          | The product complies with legally required safety standards as specified (see legal reference).   | $\boxtimes$   | П             |                      |
| P3.2*          | The product complies with legally required standards for electromagnetic compatibility (see legal reference).   |               | $\overline{}$ | $\overline{}$        |
| P3.3*          | If product is intended for connection to a public telecom network or contains a radio transmitter, it complies  |               | ₩             | ∺                    |
| F3.3           | with legally required standards for radio and telecommunication devices (see legal reference).  |               |               |                      |
| P3.4*          | The product is labeled to show conformance with applicable legal requirements (see legal reference).  |               | $\overline{}$ | $\overline{}$        |
|                | · · · · · · · · · · · · · · · · · · ·   |               |               | <u> Ш</u>            |
| P4             | Consumable materials  |               |               | <u> </u>             |
| P4.1*          | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see   |               |               | $\boxtimes$          |
| D4.0*          | legal reference and Note B1).   |               |               |                      |
| P4.2*          | If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  |               |               | $\boxtimes$          |
| P4.3*          | If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the  |               |               | $\boxtimes$          |
|                | product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these  |               |               |                      |
|                | requirements is available (see legal reference).  |               |               |                      |
| P5             | Product packaging   |               |               |                      |
| P5.1*          | Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and  | $\boxtimes$   |               |                      |
|                | hexavalent chromium by weight of these together.  |               |               |                      |
| P5.2*          | Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).   | $\boxtimes$   |               |                      |
| P5.3*          | The product packaging material is free from ozone depleting substances as specified in the Montreal   | $\square$     |               |                      |
|                | Protocol (see legal reference).   |               | _             | _                    |
|                | Comment: Legal reference has no maximum concentration values.   |               |               |                      |

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

| Model number * | 27xi      |      |  |
|----------------|-----------|------|--|
| Issue date *   | 1/15/2013 | Logo |  |

| Product | environmental attributes - Market requirements - Environmental conscious design Re  | quire                  | ment        | met                    |
|---------|---|------------------------|-------------|------------------------|
| Item    | *=mandatory to fill in. Additional information regarding each item may be found under P14.  | Yes                    | No          | n.a.                   |
| P6      | Treatment information   |                        |             |                        |
| P6.1*   | Information for recyclers/treatment facilities is available (see legal reference).  | $\boxtimes$            |             |                        |
| P7      | Design Disassembly, recycling   |                        |             |                        |
| P7.1*   | Parts that have to be treated separately are easily separable   | $\boxtimes$            |             |                        |
| P7.2*   | Plastic materials in covers/housing have no surface coating.  | Ħ                      |             |                        |
| P7.3*   | Plastic parts >100g consist of one material or of easily separable materials.   | $\overline{\boxtimes}$ |             |                        |
| P7.4*   | Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.   | $\overline{\boxtimes}$ | $\Box$      |                        |
| P7.5    | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.  |                        | $\Box$      |                        |
| P7.6*   | Labels are easily separable. (This requirement does not apply to safety/regulatory labels).   | $\overline{\boxtimes}$ |             |                        |
|         | Product lifetime  |                        |             |                        |
| P7.7*   | Upgrading can be done e.g. with processor, memory, cards or drives  |                        |             | $\boxtimes$            |
| P7.8*   | Upgrading can be done using commonly available tools  |                        |             |                        |
| P7.9.   | Spare parts are available after end of production for: 3 years  |                        |             |                        |
| P7.10   | Service is available after end of production for: years   |                        |             | $\overline{\boxtimes}$ |
|         | Material and substance requirements   |                        |             |                        |
| P7.11*  | Product cover/housing material type:  |                        |             |                        |
|         | Material type: ABS Material type: PC Material type: ABS-GF20  |                        |             |                        |
| P7.12   | Electrical cable insulation materials of power cables are PVC free.   |                        | $\boxtimes$ |                        |
| P7.13   | Electrical cable insulation materials of signal cables are PVC free   |                        | $\boxtimes$ |                        |
| P7.14   | All cover/housing plastic parts >25g are free from chlorine and bromine.  | $\overline{\boxtimes}$ |             |                        |
| P7.15   | All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See  |                        |             |                        |
|         | Note B2)  | _                      | _           | _                      |
| P7.16   | Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:   |                        |             | $\boxtimes$            |
| P7.17   | Marking: Alt. 1   |                        |             |                        |
|         | Chemical specifications of flame retardants in printed circuit boards >25g (without components):  |                        |             |                        |
|         | TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:  |                        |             |                        |
|         |   |                        |             |                        |
|         | Alt. 2 Chamical apositions of flame retardants in printed circuit boards (without components) > 25g according   |                        |             |                        |
|         | Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:   | Ш                      | Ш           |                        |
| P7.18   | Alt. 1  |                        |             |                        |
| 1 7.10  | Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in  |                        |             |                        |
|         | concentrations above 0.1%:  |                        |             |                        |
|         | Comment: No legal limits exist, this is a market requirement.   |                        |             |                        |
|         | 1. Chemical name: , CAS #:  |                        |             |                        |
|         | 2. Chemical name: , CAS #:  |                        |             |                        |
|         | 3. Chemical name: , CAS #: Alt. 2   |                        |             |                        |
|         | Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:   |                        |             |                        |
|         |   |                        |             | $\boxtimes$            |
| P7.19   | Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) |                        |             |                        |
| P7.20   | Of total plastic parts' weight >25g, recycled material content is 0.0%.   |                        |             |                        |
| P7.21   | Of total plastic parts' weight >25g, biobased material content is 0%.   |                        |             |                        |
| P7.22   | Light sources are free from mercury   | $\boxtimes$            |             |                        |
|         | If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg  |                        |             |                        |
| P8      | Batteries   |                        |             |                        |
| P8.1*   | Battery chemical composition:   |                        |             | $\boxtimes$            |
| P8.2    | Batteries meet the requirements of the following voluntary program/s:   |                        |             |                        |

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

| Model number *  | 27xi      |      |  |
|---|-----------|------|--|
| Issue date *  | 1/15/2013 | Logo |  |
|   |           |      |  |
| Product environmental attributes - Market requirements (continued)  Requirement met |           |      |  |

| Product 6   | Product environmental attributes - Market requirements (continued)  Requirement |  |                         |                        |   | net                     |
|---|---|--|-------------------------|------------------------|---|-------------------------|
| Item  |   |  | •                       | •                      |   | n.a.                    |
| P9  | Energy consump  | tion   |                         |                        |   |                         |
| 9.1   | For the product the   | e following power levels                           | or energy consump       | tions are reported     | :   |                         |
| Energy mo   | de *  | Power level at 100 V AC                            | Power level at 115 V AC | Power level 230 V AC   | at Reference / Standard for energy modes and test method *                                    |                         |
| ENERGY S<br>(System Idl   | STAR® On Mode *<br>le)  | 24.53 W  | <b>24.41</b> W          | 24.20 W                | ENERGY STAR® Program Requirements for Computer Monitors: Ver. 5.0                             |                         |
| ENERGY S<br>Sleep Mode  | STAR® Low Power<br>e *  | 0.39 W   | 0.39 W                  | 0.41 W                 | ENERGY STAR® Program Requirements for Computer Monitors: Ver. 5.0                             |                         |
| ENERGY S  | STAR® Off /<br>Off Mode*  | 0.35 W   | 0.35 W                  | 0.37 W                 | ENERGY STAR® Program Requirements for Computer Monitors: Ver. 5.0                             |                         |
| Display res   | olution* : 1920*10  | 80 Megapixels                                      |                         |                        | ENERGY STAR® Program Requirements for Computer Monitors: Ver. 5.0                             |                         |
| Default time  | e to enter energy sa  | ave mode: minu                                     | ites                    |                        | ENERGY STAR® Program Requirements for Computers: Ver. 5.0                                     |                         |
| P9.2*   | Information about   | the energy save functio                            | n is provided with th   | e product.             |   |                         |
| P9.3*   |   | the energy requirement<br>version: 5.1 Tier: 1 Pro |                         |                        | ::  |                         |
|   | Others specify:   |  |                         |                        |   | X                       |
| P10   | Emissions   | Dealers descendents                                | 100,000                 |                        |   |                         |
| P10.1   |   | Declared according to Mode description             | 150 9296                | Declared               | Declared A-weighted   |                         |
| P10.1   | Mode  | viode description                                  |                         | A-weighted sound power | sound pressure level $L_{p m Am}$ (dB)  |                         |
|   |   |  |                         | •                      | Desktop On Desk side On Desk side Operator attended)  Desktop On Desk side Operator attended) |                         |
|   | Idle  |  | *                       | ,                      | ,   | $\boxtimes$             |
|   | Operation   |  | *                       |                        |   |                         |
|   | Other mode  |  |                         |                        |   | $\overline{\mathbf{X}}$ |
| Measured according to: ISO7779 ECMA-74  Other (only if not covered by ECMA-74 with L <sub>pAm</sub> measurement distance m) |   |  |                         |                        |   |                         |
| P10.2   | The product meets   | the acoustic noise requ                            | uirements of the follo  | owing voluntary pro    | ogram/s:  | X                       |

| Model number * | 27xi      |      |  |
|----------------|-----------|------|--|
| Issue date *   | 1/15/2013 | Logo |  |

| Product 6 | environmental attributes - Market requirements (continued)   | Require     | ment        | met         |
|-----------|--|-------------|-------------|-------------|
| Item      | ·  | Yes         | No          | n.a.        |
|           | Chemical emissions from printing products  |             |             |             |
| P10.3*    | Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:   |             |             | $\boxtimes$ |
| P10.4     | Typical emission rate (print phase) is (mg/h):   |             |             | $\boxtimes$ |
|           | Dust Ozone Styrene Benzene TVOC  |             |             |             |
| P10.5     | Chemical emission requirements of the following voluntary program/s are met for :  |             |             | $\square$   |
|           | Dust Ozone Styrene Benzene TVOC  |             |             |             |
|           | Electromagnetic emissions  |             |             |             |
| P10.6     | Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary   |             |             |             |
|           | program/s:   |             |             |             |
| P11       | Consumable materials for printing products   |             |             |             |
| P11.1*    | A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).   |             |             | $\boxtimes$ |
| P11.2*    | Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.  |             |             |             |
| P11.3*    | 2-sided (duplex) printing/copying is an integrated product function.   |             |             | $\boxtimes$ |
| P12       | Ergonomics for computing products  |             |             |             |
| P12.1*    | The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  | $\boxtimes$ |             |             |
| P12.2*    | The physical input device meets the requirements of ISO 9995 and ISO 9241-410.   |             | $\boxtimes$ |             |
| P13       | Packaging and documentation  |             |             |             |
| P13.1*    | Product packaging material type(s): PAPER/Corrugated weight (kg): 1.076  |             |             |             |
|           | Product packaging material type(s): PLASTIC/Polyethylene high density weight (kg): 0.0325  |             |             |             |
|           | Product packaging material type(s): PLASTIC/EPS (Expanded Polystyrene) weight (kg): 0.118 Product packaging material type(s): PLASTIC/Polyester weight (kg): 0.0075  |             |             |             |
| P13.2*    | Product plastic packaging is free from PVC.  | $\square$   |             |             |
| P13.3*    | Specify media for user and product documentation (tick box):   |             |             | ∺           |
| F 13.3    | Electronic , Paper , Other   |             |             | Ш           |
| P13.4*    | For paper user and product documentation, please specify contained percentage of post-consumer recycled  |             |             |             |
|           | fiber: 0%  |             |             |             |
| Rev.      | User and product documentation do not contain chlorine bleached paper  | $\boxtimes$ |             |             |
| P13.5     | Additional information (Con Note D4)   |             |             |             |
| All       | Additional information (See Note B4)  1. Product environmental information contained in this declaration is valid as of the date the declaration is public.  | ished (     | hange       | e to        |
| sections  | external standards referenced in the IT Eco-Declaration may invalidate some information contained in this declaration may invalidate some information contained in the cont |             |             |             |
|           | · · · · · · · · · · · · · · · · · · ·  |             |             |             |
|           |  |             |             |             |
|           |  |             |             |             |

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

| Reference  | Declaration item             |
|--|------------------------------|
| 2002/95/EC (ROHS Directive)  | P1.1, P4.1                   |
| REACH, Annex XVII  | P1.6, P1.8, P4.2             |
| REACH, Annex XVII  | P1.4                         |
| REACH, Annex XVII  | P1.2                         |
| REACH, Annex XVII  | P1.7                         |
| REACH, Annex XVII  | P1.9                         |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000  | P1.3                         |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5                         |
| 2006/66/EC (Battery and accumulators Directive)  | P2.1, P2.2, P2,3, P3.4, P8.1 |
| 2006/95/EC (Low Voltage Directive)   | P3.1, 3.4                    |
| 2004/108/EEC (New EMC Directive)   | P3.2, 3.4                    |
| 1999/5/EC (R&TTE Directive)  | P3.3, 3.4                    |
| "REACH" Regulation (1907/2006), annex VII  | P1.10                        |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)                       | P4.3                         |
| REACH article 31, annex II   | P4.3                         |
| 2004/12/EC (Directive on packaging and packaging waste)  | P5.1                         |
| (97/129/EC) (Commission Decision on Identification<br>System for Packaging Materials               | P5.2                         |
| 2037/2000/EC Regulation on Substances that Deplete the Ozone Layer                                 | P5.3                         |
| 2002/96/EC (WEEE directive)  | P3.4, P6.1                   |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)                       | P7.19                        |