

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Hewlett-Packard	Logo
Company name *	Hewlett-Packard Company	
Contact information *	Hans Wendschlag http://www.hp.com/hpinfo/globalcitizenship/environment/contactem ail	
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/	
Additional information	NA	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Type of product * Inkjet AiO			
Commercial name *	HP Officejet 6600 e-All-in-One H711g			
Model number *	CZ155A, CZ163A			
Issue date *	29-May-2012			
Intended market *	tended market * 🛛 🖾 Global 🔄 Europe 🔄 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	CZ155A, CZ163A		
Issue date *	29-May-2012	Logo	

Product	environmental attributes - Legal requirements	Requirement me		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\square$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\square$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\square$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\square$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/reachprinting-and-im.html	$\square$		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\square$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)	$\boxtimes$		
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\square$		
P4	Consumable materials	<u> </u>		
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	$\square$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\square$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	odel number * CZ155A, CZ163A					
Issue date * 29-May-2012		29-May-2012	Logo			
				Ш	1	
Product	environ	mental attributes - Market requirements - Environmental conscious	desian R	equire	ment	met
Item		atory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P6	Treatme	nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		$\square$		
P7	Design Disasse	mbly, recycling				
P7.1*		t have to be treated separately are easily separable				
P7.2*	Plastic m	aterials in covers/housing have no surface coating.		$\boxtimes$		
P7.3*	Plastic pa	arts >100g consist of one material or of easily separable materials.				
P7.4*	Plastic pa	arts >25g have material codes according to ISO 11469 referring ISO 1043.			Ē	
P7.5	.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.				Π	
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ē	Ē
	Product					
P7.7*	Upgradin	ig can be done e.g. with processor, memory, cards or drives				$\boxtimes$
P7.8*	Upgradin	g can be done using commonly available tools				$\square$
P7.9.	Spare pa	Ints are available after end of production for: years				
P7.10		s available after end of production for: years				
		and substance requirements				
P7.11*		cover/housing material type:				
			al type:			
P7.12		I cable insulation materials of power cables are PVC free.				
P7.13		I cable insulation materials of signal cables are PVC free				
P7.14		/housing plastic parts >25g are free from chlorine and bromine.				
P7.15	All printe Note B2)	d circuit boards (without components) >25g are halogen free. as defined in IEC	61249-2-21. (See			
P7.16	Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				
P7.17	Alt. 1					
		I specifications of flame retardants in printed circuit boards >25g (without compone	ents):			
	TBBPA (	additive) , TBBPA (reactive) , Other; chemical name: , CAS #:				
	Alt. 2					
		I specifications of flame retardants in printed circuit boards (without components) >	25g according			
	ISO 1043	3-4:				
P7.18	Alt. 1	standad plastic parts . OF a contain the fellowing flame estandart substance	-/			
		etarded plastic parts >25g contain the following flame retardant substance ations above 0.1%:	s/preparations in			
		ent: No legal limits exist, this is a market requirement.				
		ical name: , CAS #:				
	2. Chemi	ical name: , CAS #:				
		ical name: , CAS #:				
	Alt. 2 Chemica	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
	Chonnou					
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% clas 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	sified as R45,			
P7.20	Of total n	plastic parts' weight >25g, recycled material content is %.				
P7.21		lastic parts' weight >25g, biobased material content is %.				
P7.22		Irces are free from mercury		$\boxtimes$		
	-	y is used specify: Number of lamps: and max. mercury content per lamp:	mg	دلك	<u>ب</u>	<u> </u>
P8	Batteries					
P8.1*	Battery c	hemical composition: LiMnO2				
P8.2	Batteries	meet the requirements of the following voluntary program/s:				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	CZ155A, CZ163A		
Issue date *	29-May-2012	Logo	Ø

	environmental	attributes - Market re	quirements (con	tinued)	Requirement I	
Item					Yes No	n.a.
P9	Energy consum					
9.1	For the product t	he following power levels	or energy consump	tions are reporte	ed:	
Energy mo	ode *	Power level at <b>100</b> V AC	Power level at 115 V AC	Power level 230 V AC	at Reference / Standard for energy modes and test method *	
Operating	1	W	W	W	IEC 62301: Household electrical appliances – Measurement of standby power (Ver.1.1)	
Ready		4.13 W	4.13 W	<b>4.24</b> W	IEC 62301: Household electrical appliances – Measurement of standby power (Ver.1.1)	
Sleep		1.78 W	1.79 W	1.86 W	IEC 62301: Household electrical appliances – Measurement of standby power (Ver.1.1)	
Off		0.25 W	0.26 W	0.30 W	IEC 62301: Household electrical appliances – Measurement of standby power (Ver.1.1)	
		W	W	W		
		W	W	W		
charger pl	oower supply / ugged in the wall disconnected from	W	W	W	ENERGY STAR® Program for External Power Supplies (Ver. 1.1)	
PTEC * Typical Er	ergy Consumption	W	W	W		
TEC * Typical Er	ergy Consumptior	kWh/week	kWh/week	kWh/w	eek	
ETEC * Annual En	ergy Consumption	kWh/year	kWh/year	kWh/ye	ear	
Display re	solution* :	Megapixels				$\boxtimes$
Print Spee		Mono / ISO 8 Color Im	ages per minute			
		save mode: 5 minutes	agee per minute			+
	0,		. In many data di vide di			⊢
P9.2*		ut the energy save functio		•		
P9.3*		ets the energy requiremer <sup>®</sup> version: <i>1.1</i> Tier:	nts of the following v Product categor		/s:	
	Others specify:				<u> </u>	
P10	Emissions	Declared according to	100 0000			
P10.1	Mode	<ul> <li>Declared according to</li> <li>Mode description</li> </ul>	130 3230	Declared Declared A-weighted sound power Control Declared A-weighted sound pressure level L <sub>pAm</sub> (control A-weighted A-we		
				level $L_{WAd}$ (B)	Operator position     Bystander positions       Desktop     Image: Construction of the state of the stat	
	Idle	* Ready	•	* 2.9 Bels (A)		
	Operation Other mode	* Printing		* 6.5 Bels (A)		
		│ ding to: 🔀 ISO7779 🔀	ECMA-74			
P10.2		Other			th L <sub>pAm</sub> measurement distance m)	
F10.2	The product mee	ets the acoustic noise req	uirements of the foll	owing voluntary p	program/s:	

Model number *	CZ155A, CZ163A		
Issue date *	29-May-2012	Logo	(p)

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item		Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard 🔀, other specify:	$\boxtimes$		
P10.4	Typical emission rate (print phase) is (mg/h):			
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary			
	program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	$\square$		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	$\times$		
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			$\boxtimes$
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			$\square$
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): corrugated paper fiber weight (kg): 1.09			
	Product packaging material type(s): expanded polystyrene weight (kg): 0.15			
P13.2*	Product packaging material type(s): <i>polyethylene</i> weight (kg): <i>0.03</i>			
	Product plastic packaging is free from PVC.	$\square$		<u> </u>
P13.3*	Specify media for user and product documentation (tick box):			
<b>D</b> 40.41	Electronic 🔯, Paper 🔯, Other 📃			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%			
Rev.	User and product documentation do not contain chlorine bleached paper	$\square$		
P13.5	Additional information (Cap Nata DA)			
<b>P14</b> 10.3	Additional information (See Note B4) Chemical emissions data were collected using this product.			
10.3	Noise emissions data shown were collected using this product.			
10.1				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19