

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance/preparation

HP LaserJet C4129X Print Cartridge

**Use of the preparation** This product is a toner preparation that is used in HP LaserJet 5000/5000LE/5100

series printers.

**Company identification** Hewlett Packard Malta

care/of Hewlett Packard Italy S.r.l.

Via Giuseppe Di Vittorio, 9

Cernusco sul Naviglio, Italy, 20063

**Hewlett-Packard health effects line** 

(Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199

**General information telephone number** 

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

**Email** hpcustomerinquiries@hp.com

## 2. HAZARDS IDENTIFICATION

**Acute health effects** 

**Skin contact**Unlikely to cause skin irritation. **Eye contact**May cause transient slight irritation.

Inhalation Minimal respiratory tract irritation may occur with exposure to large amounts of toner dust.Ingestion Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

**Potential health effects** 

**Routes of exposure** Potential routes of exposure under normal use conditions are skin and eye contact; and

inhalation

Ingestion is not expected to be a primary route of exposure for this product under normal use

conditions.

**Chronic health effects** Prolonged inhalation of excessive amounts of any dust may cause lung damage. Use of this

product as intended does not result in inhalation of excessive amounts of dust.

**Carcinogenicity**None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP,

OSHA or ACGIH.

Physical hazards Not classified as a physical hazard.

Health hazards Not classified as a health hazard.

**Environmental hazards** Not classified as an environmental hazard.

**Other information** This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive

1999/45/EC, as amended.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component/substance	CAS number	% by weight	EU number	EU classification
Styrene acrylate copolymer	Trade Secret	40 - 50		
Iron oxide	1317-61-9	40 - 50	215-277-5	

## 4. FIRST AID MEASURES

**Inhalation** Move person to fresh air immediately. If irritation persists, consult a physician.

Material nameC4129XSDS MaltaCreation date30-Apr-2003Version number61 / 5



Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure)

for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.

**Ingestion** Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

## 5. FIRE-FIGHTING MEASURES

Flash point and method not applicable

Fire fighting

If fire occurs in the printer, treat as an electrical fire.

equipment/instructions

Suitable extinguishing media CO2, water, or dry chemical

**Extinguishing media which** 

must not be used for safety

reasons

None known.

**Unusual fire & explosion** 

hazards

Like most organic material in powder form, toner can form explosive dust-air mixtures when

finely dispersed in air.

**Hazardous combustion** 

products

Carbon monoxide and carbon dioxide.

Specific methods None established.

### **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions Minimize dust generation and accumulation.

**Environmental precautions** Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

### 7. HANDLING AND STORAGE

Handling Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use

with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Keep out of the reach of children. Keep tightly closed and dry. Store away from strong **Storage** 

oxidizers. Store at room temperature.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional exposure data USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

## Personal protective equipment

General No personal respiratory protective equipment required under normal conditions of use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** Fine powder Physical state Not available

**Form** solid Colour Black

Material name C4129X SDS Malta Version number 6 Creation date 30-Apr-2003 2 / 5

**Odour** Slight plastic odor

Odour threshold

pH

not applicable

Boiling point

not applicable

Flash point

not applicable

Flammability

Not available.

Flammability limits in air, upper, % by volume

Not available

Flammability limits in air,

lower, % by volume

Not flammable

Vapour pressure not applicable

Relative density Not available

**Solubility in water** Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient (n-octanol/water)

Not available

Viscositynot applicableVapour densitynot applicableEvaporation rateNot availableMelting pointNot availableFreezing pointNot availableAuto-ignition temperaturenot applicable

**Specific gravity** 1.5 - 1.8 (H2O = 1)

**Softening point** 100 - 150 °C (212 - 302 °F)

## 10. STABILITY AND REACTIVITY

**Stability** Stable under normal storage conditions.

**Conditions to avoid** Imaging Drum: Exposure to light

Materials to avoid Not available

**Hazardous decomposition** 

products

Carbon monoxide and carbon dioxide.

Hazardous polymerisation

Will not occur.

## 11. TOXICOLOGICAL INFORMATION

**Inhalation toxicity** LC50: inh/rat 5 mg/l/4 hrs., (OECD 403).

Not classified for Acute inhalation toxicity according to EU Directive 67/548/EEC and

1999/45/EC.

**Oral toxicity** LD50/oral/rat >2000mg/kg, (OECD 401), Not harmful.

Not classified for Acute oral toxicity according to EU Directive 67/548/EEC and 1999/45/EC.

**Eye irritation** Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

**Chronic toxicity** No information available.

Material nameC4129XSDS MaltaCreation date30-Apr-2003Version number63 / 5



Sensitisation Not classified as a sensitizer according to EU Directive 67/548/EEC and as amended, and OSHA

HCS (US).

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA

Regulations (USA), EU Directive, or Proposition 65 (California).

Mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Reproductivity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop.

65, and DFG (Germany).

**Further information** Complete toxicity data are not available for this specific formulation.

Refer to Section 3 for potential health effects and Section 4 for first aide measures.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 96.00 Hours, LL50 > 1000 mg/l, rainbow trout

## 13. DISPOSAL CONSIDERATIONS

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient

recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

Waste from residues /

unused products

Not available

Not available Contaminated packaging

## 14. TRANSPORT INFORMATION

**ADR** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

General Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.

## 15. REGULATORY INFORMATION

International regulations All chemical substances in this HP product have been notified or are exempt from notification

> under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Labelling

**Contains** Iron oxide, Styrene acrylate copolymer

16. OTHER INFORMATION

**Manufacturer information Hewlett-Packard Company** 

11311 Chinden Boulevard Boise, ID 83714 USA

Other information This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by

2001/58/EC.

Material name C4129X SDS Malta Creation date 30-Apr-2003 4 / 5



Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

> Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as quaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

**Issue date** 02-May-2008

Revised sections 1. Chemical product and company identification: Use of the preparation

3. Hazards identification: Other information

7. Handling and storage: Storage

11. Toxicological information: Inhalation toxicity 12. Ecological information: Ecotoxicity effects 12. Ecological information: Other information 15. Regulatory information: US federal regulations

**Explanation of abbreviations** 

Creation date 30-Apr-2003

**ACGIH** American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

**CERCLA** Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

**IARC** International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

**NTP** National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible exposure limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

**TSCA** Toxic Substances Control Act VOC Volatile Organic Compounds

SDS Malta Material name C4129X Version number 6

5 / 5