

802.11g 54Mbps Wireless PCMCIA Adapter

AWN154



Airnet

Features:

- Compatible with IEEE 802.11b/g.
- Supports 64/128-bit WEP standard for security Supports WPA-PSK
- Drivers support Windows 98SE, 2000, ME and XP
- Simple user setup & diagnostics utilities

Specification:

Radio Technology	IEEE 802.11g Orthogonal Frequency Division Multiplexing (OFDM) IEEE 802.11b Direct Sequence Spread Spectrum (DSSS)
Interface	32bit CardBus Type II
Transmission Rate	1, 2, 5.5, 6, 11, 12, 18, 24, 36, 48, 54Mbps (auto sense)
Receiver Sensitivity	54Mbps: Typical - 73dBm @ 10% PER 11Mbps: Typical - 85dBm @ 8% PER
Frequency Range	2412 ~ 2484 MHz ISM band (channels 1 ~ 14)
Modulation Schemes	DBPSK/DQPSK/CCK/OFDM
Media Access Protocol	CSMA/CA with ACK
Transmit Power	Minimum 15dBm typically @ 802.11b Minimum 12dBm typically @ 802.11g
Channel	USA: 11. Europe: 13. Japan: 14
Security	64/128-bits WEP Encryption Wireless Fidelity Protected Access (WPA)
Range Coverage	Indoor: 35 ~ 100 meters (depends on environment) Outdoor: 100 ~ 300 meters (depends on environment)
Antenna	Integrated Micro strip dual diversity antennas
Diagnostic LEDs	Power & Link Status
Environmental	Operation Temperature: 0 ~ 40 C Storage Temperature: -10 ~ 70 C Humidity: 10% ~ 95% RH, no condensation
Dimensions	118 x 54 x 7mm (WxHxD)
Warranty	One year limited Warranty
Certifications	FCC Part 15.247 for US. ETS 300 328 for Europe

Package Content:

- One PCMCIA Adapter
- One Installation CD
- One Quick Installation Guide

**For more pricing & product information,
Please contact:**

Email: sales@airnetusa.com

Support: support@airnetusa.com

Website: www.airnetusa.com